

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1043	5541	(715/234). OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 15:38
S1044	201	(715/237). OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 15:38
S1045	482	(715/239). OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 15:38
S1046	112	(715/254). OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/15 15:38
S1047	13	compress\$5 with xml with text with valid \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1048	244	compress\$5 with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1049	21	conver\$8 with compress\$5 with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1050	3	conver\$8 with compress\$5 with xml with valid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1051	37	compress\$5 with xml with valid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1052	1613	compress\$5 with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38

S1053	45	compress\$5 with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1054	163	(endcod\$5 conver\$6) with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1055	2418	(endcod\$5 conver\$6) with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1056	228	(endcod\$5 conver\$6) with binary with (text ascii) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1057	65	S1056 not S1054	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1058	15	token\$6 with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1059	236	token\$6 with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1060	2418	(conver\$6) with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1061	151	(conver\$6) with compress\$5 with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1062	22	(conver\$6) with compress\$5 with xml with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:38
S1063	49	valid\$6 with xml with replac\$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39

S1064	5	invalid\$6 with xml with replac \$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1065	26	invalid\$6 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1066	31	invalid\$6 with xml with tag	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1067	4	replac\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1068	3	conver\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1069	3	translat\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1070	316	replac\$5 with xml with (character tag)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1071	46	S1070 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1072	36	replac\$5 with xml with (character tag) with standard	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39

S1073	49	invalid with (character tag) with xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1074	372	invalid with xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1075	323	S1074 not S1072 not S1073	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1076	25	xml with invalid with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1077	90	replac\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1078	16	S1077 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1079	253	conver\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1080	58	S1079 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1081	48	translat\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39

S1082	6	S1081 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1083	21	S1081 and validat\$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1084	97	transform\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1085	25	S1084 and validat\$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1086	40	S1077 and validat\$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1087	30	S1086 not S1078	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1088	1059	invalid with \$1lt	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1089	30	xml with invalid with \$1lt	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1090	2	validat\$5 with xml with character with display	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39

S1091	0	validat\$5 with xml with before with display	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1092	23	validat\$5 with xml with before with user	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1093	444	validat\$5 with xml with parser	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1094	17	character with validat\$5 with xml with parser	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1101	106	binary with base-64	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1102	7641	request\$5 with (embed\$5 attach\$5 pre- fetch\$5) with (server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1103	2485	request\$5 with (embed\$5 attach\$5 pre- fetch\$5) with (server and client)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1104	234	request\$5 with (embed\$5 attach\$5 pre- fetch\$5) with (server and client) with document	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1108	93	conver\$5 with binary with base64	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39

S1109	1085	conver\$5 with binary with ascii	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1110	183	S1109 and xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1112	60	conver\$5 with binary with ascii same xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1113	138	conver\$5 with binary with ascii with message	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1114	5	transform\$5 with binary with ascii same xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1115	33	translat\$5 with binary with ascii same xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/15 15:39
S1116	44	ticket with object with xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/11/16 08:07

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**11/ 20/ 10 6:02:07 PM****C:\ Documents and Settings\ thuy nh1\ My Documents\ EAST\ Workspaces\ 0835\_1.wsp**